

2006 INDEX (vol. 48)

A

Abatacept, for rheumatoid arthritis, 18t
Abelcet. See Amphotericin B
Acne, minocycline for, 95–96
ACS. See Acute coronary syndrome (ACS)
Actonel, *Actonel with Calcium*. See Risendronate
Actoplus met. See Pioglitazone, with metformin
Actos. See Pioglitazone
Acupuncture, 38–39
Acute coronary disease, fish oil supplements and, 59
Acute coronary syndrome (ACS), clopidogrel for, 29
Adacel, Tdap vaccine, 5–6
Adalimumab, for rheumatoid arthritis, 18t
ADHD, methylphenidate for, 49–51
AEDs. See Automated external defibrillators (AEDs)
Airomir. See Albuterol
Albuterol, for asthma, 21t
Alcohol dependence, naltrexone for, 63–64
Alendronate. See also Bisphosphonates for osteoporosis, 69t
Alinia. See Nitazoxanide
Alternative medicine. See *individual therapies or diseases*
Amantadine
 antiviral resistance, 9
 for influenza, 87
 for Parkinson's disease, 98t
Amaryl. See Glimepiride
AmBisome. See Amphotericin B
AMD. See Macular degeneration, age-related (AMD)
Amiodarone, elderly patients and, 6
Amitiza. See Lubiprostone
Amitriptyline, elderly patients and, 7t
Amphotec. See Amphotericin B
Amphotericin B, for *Candida* infections, 43t
Anakinra, for rheumatoid arthritis, 18t
Analgesics
 combination drugs, 3–4
 elderly patients and, 7t
Angina, ranolazine for, 46–47
Anidulafungin, for *Candida* infections, 43–44
Anticholinergics, elderly patients and, 7t
Antidepressants
 elderly patients and, 7t
 MAOIs, 41
Antifungals
 for *Candida* infections, 43–44
 for invasive fungal infections, 93–95
Antihistamines, elderly patients and, 7t
Antispasmodics, elderly patients and, 7t
Antivirals, for influenza, 87–88
Apidra. See Insulin glulisine
Aptivus. See Tipranavir
Aristocort Forte. See Triamcinolone
Aristospan Intra-articular. See Triamcinolone
Arranon. See Nelarabine
Aspergillus infections, posaconazole for, 93–95
Aspirin, prevention of cardiovascular disease with, 53
Asthma, levalbuterol for, 21–22

Atazanavir, for HIV, 75t
Atorvastatin
 for stroke prevention, 75–76
 high-risk patients and, 1–3
Atripia, for HIV, 78–79
Attention deficit hyperactivity disorder. See ADHD
ATV. See Atazanavir
Automated external defibrillators (AEDs),
 for cardiac arrest, 71–72
Avandamet. See Rosiglitazone, with metformin
Avandaryl. See Rosiglitazone, with glimepiride
Avandia. See Rosiglitazone
Avastin. See Bevacizumab
Avian influenza, antivirals for, 88
Azacitidine, for myelodysplastic syndromes, 91t
Azilect. See Rasagiline

B

Bacrim DS. See Trimethoprim/sulfamethoxazole
Barbituates, elderly patients and, 7t
Belladonna alkaloids, elderly patients and, 7t
Benadryl. See Diphenhydramine
Bentyl. See Dicyclomine
Benzodiazepines, elderly patients and, 7t
Beta-2 agonists, for asthma, 21
Betamethasone
 for psoriasis, 27t
 with calcipotriene, 55–56
Bevacizumab, for age-related macular degeneration, 85, 86t
Bisphosphonates. See also *individual drugs*
 for osteoporosis, 68, 69t
Boniva. See Ibandronate
Boostrix, Tdap vaccine, 5–6
Bromocriptine, for Parkinson's disease, 98t
Bupropion, for tobacco dependence, 67t
Byetta. See Exenatide

C

Calan. See Verapamil
Calcipotriene, with betamethasone, 55–56
Calcium acetate, for hyperphosphatemia, 15, 16t
Calcium carbonate, for hyperphosphatemia, 15, 16t
Caltrate-600. See Calcium carbonate
Camptosar. See Irinotecan
Candidas. See Caspofungin
Candida infections
 anidulafungin for, 43–44
 posaconazole for, 93–95
Cannabinoids, for chemotherapy-induced nausea and vomiting, 103–104
Cardiac arrest, AEDs for, 71–72
Cardiovascular disease
 aspirin and, 53
 clopidogrel for, 29–31
 coenzyme Q10 for, 19
 statins and, 1–3
Carimune NF. See IVIG, preparations
Carisoprodol, elderly patients and, 7t
Caspofungin, for *Candida* infections, 43t
Cesamet. See Nabilone
Chantix. See Varenicline

Chemotherapy

 acupuncture for nausea and vomiting induced by, 38
 nabilone for nausea and vomiting induced by, 103–104
Chicken pox. See Varicella
Chlor-Trimeton. See Chlorpheniramine
Chlordiazepoxide, elderly patients and, 7t
Chlorpheniramine, elderly patients and, 7t
Chlorpropamide, elderly patients and, 7t
Chromium, 7–8
Cimetidine, elderly patients and, 7t
CINV. See Chemotherapy
Cleocin. See Clindamycin
Clindamycin, for MRSA infections, 13t
Clobetasol, spray for psoriasis, 27–28
Clobex. See Clobetasol
Clopidogrel, prevention of cardiovascular disease, 29–31
Clostridium difficile–associated disease (CDAD), treatment of, 89–90
Coenzyme Q10, 19–20
 article correction, 24
Colonoscopy preparations, electrolyte disturbances and, 41
Combunox. See Oxycodone, with ibuprofen
Commit. See Nicotine
Comtan. See Entacapone
Concerta. See Methylphenidate
Conivaptan, for hyponatremia, 51–52
Contraceptives
 combination oral, 77–78
 emergency, 75
 implantable, 83–84
Cordarone. See Amiodarone
Corticosteroids, injections for osteoarthritis, 25, 26t
Crixivan. See Indinavir
Cubicin. See Daptomycin
Cyclobenzaprine, elderly patients and, 7t

D

Dacogen. See Decitabine
Dalmane. See Flurazepam
Daptomycin, for MRSA infections, 13t
Daron. See Propoxyphene
Darunavir, for HIV, 74–75
Daytrana. See Methylphenidate, transdermal
Decitabine, for myelodysplastic syndromes, 91–92
Deferasirox, for iron overload, 35–36
Demerol. See Meperidine
Depo-Medrol. See Methylprednisolone
Dexamethylphenidate, for ADHD, 50t
Diabetes
 chromium and, 8
 combination drugs for, 9–11, 22–24
 coenzyme Q10 for, 19
 fish oil supplements and, 59
 insulin (inhaled) for, 57–58
 insulin detemir for, 54–55
 insulin glulisine for, 33–34
 statins and, 1

Diabinese. See Chlorpropamide
 Diazepam, elderly patients, 7t
 Dicyclomine, elderly patients and, 7t
 Dietary supplements
 calcium and vitamin D, 61
 calcium for hyperphosphatemia, 15
 chromium, 7–8
 coenzyme Q10, 19–20
 fish oil, 59–60
Diflucan. See Fluconazole
 Digoxin, elderly patients and, 6
 Diphenhydramine, elderly patients and, 7t
 Diphtheria, combination vaccines for, 5–6
Diprolene. See Betamethasone
 Disease-modifying anti-rheumatic drugs. See DMARDs
 DMARDs, for rheumatoid arthritis, 17, 18t, 34
Donnatal. See Belladonna alkaloids
Dovonex. See Calcipotriene
 Doxepin, elderly patients and, 7t
 Doxycycline
 for acne, 95t
 for MRSA infections, 13t
 Dronabinol, for chemotherapy-induced nausea and vomiting, 104t
 Drug choice, elderly patients and, 6–7
 Drug interactions. See also *Adverse Drug Interactions Program* at www.medicalletter.org
 anidulafungin, 44
 Atripla, 79
 conivaptan, 52
 contraceptives, 84
 darunavir, 74
 in elderly patients, 6–7
 methylphenidate, 50
 nabilone, 104
 naltrexone, 63
 pioglitazone, 10
 posaconazole, 94
 ranolazine, 46
 rasagiline, 99
 rosiglitazone, 23
 selegiline, 42
 statins, 2
 varenicline, 67
 Drug toxicity
 coenzyme Q10 for, 19
 genetic test for irinotecan, 39–40
Dynacin. See Minocycline

E
 Echinocandins, for *Candida* infections, 43t
 Efavirenz. See also *Atripla*
 for HIV, 79t
Elavil. See Amitriptyline
Eldepryl. See Selegiline
Emsam. See Selegiline, transdermal
 Emtricitabine. See also *Atripla*
 for HIV, 79t
Emtriva. See Emtricitabine
Enbrel. See Etanercept
 Entacapone, for Parkinson's disease, 98t
Equanil. See Meprobamate
Eraxis. See Anidulafungin
 Etanercept, for rheumatoid arthritis, 18t
Euflexxa. See Hyaluronic acid
Evista. See Raloxifene
 Exenatide, weight loss and, 21
Exjade. See Deferasirox

Exubera. See Insulin (inhaled)
 Eye drops, amount to use, 49

F
 Fish oil supplements, 59–60
Flagyl. See Metronidazole
Flebogamma 5%. See IVIG, preparations
Fleet Phospho-Soda. See Sodium phosphate preps
Flexeril. See Cyclobenzaprine
 Flu. See Influenza
Fluarix, influenza vaccine, 81t, 87
 Fluconazole, for *Candida* infections, 43t
FluLaval, influenza vaccine, 81t, 85, 87
Flumadine. See Rimantadine
FluMist, influenza vaccine, 81t, 87
 Fluocinonide, for psoriasis, 27t
 Fluoroquinolones
 for MRSA infections, 14
 glycemic imbalance with, 24
 Flurazepam, elderly patients and, 7t
 Fluvastatin, and other statins, 1
Fluvirin, influenza vaccine, 81t, 87
Fluzone, influenza vaccine, 81t, 87
Focalin, *Focalin XR*. See Dexmethylphenidate
Fosamax, *Fosamax plus D*. See Alendronate
 Fosamprenavir, for HIV, 75t
Fosrenol. See Lanthanum carbonate
 FPV. See Fosamprenavir

G
 Gamma Hydroxybutyrate (GHB), for narcolepsy, 11–12
Gammagard Liquid 10%, *Gammagard S/D*. See IVIG, preparations
Gamunex 10%. See IVIG, preparations
Gardasil, vaccine for HPV, 65–66
 Gastroesophageal reflux disease (GERD), *Stretta* procedure for, 99–100
 Gatifloxacin, glycemic imbalance with, 24
 GERD. See Gastroesophageal reflux disease (GERD)
 GHB. See Gamma hydroxybutyrate (GHB)
 Glimepiride
 for diabetes, 22t
 with rosiglitazone, 22–24
Glucophage, *Glucophage XR*. See Metformin

H
 Halobetasol, for psoriasis, 27t
 Heart attack. See Myocardial infarction
 Heart burn. See Gastroesophageal reflux disease (GERD)
HeartStart. See Automated external defibrillators (AEDs)
 Herpes zoster
 immunoglobulin for, 69–70
 vaccine for, 73–74
 HIV, combination drugs for, 78–79
 HMG-CoA reductase inhibitors. See Statins
 HPV, vaccine for, 65–66
Humalog. See Insulin lispro
 Human immunodeficiency virus. See HIV
 Human papillomavirus. See HPV
Humira. See Adalimumab
Humulin N. See NPH
 Huntington's disease, coenzyme Q10 for, 19
Hyalgan. See Hyaluronic acid
 Hyaluronic acid, injections for osteoarthritis, 25–27

Hydrocodone, combination drugs, 3t
 Hydroxyzine, elderly patients and, 7t
 Hyoscamine, elderly patients and, 7t
 Hypercholesterolemia, fish oil supplements and, 59
 Hyperglycemia, chromium and, 8
 Hyperphosphatemia, treatment of, 15–16
 Hypertension, coenzyme Q10 for, 19
 Hypertriglyceridemia, fish oil supplements and, 59
 Hyponatremia, conivaptan for, 51–52

I
 Ibandronate. See also Bisphosphonates
 intravenous for osteoporosis, 68–69
 IDV. See Indinavir
 Immunization
 herpes zoster, 73–74
 HPV, 65–66
 mumps, 45
 rotovirus, 62
 Tdap, 5–6
 varicella vaccine second dose, 80
 Immunoglobulin
 for *C. difficile* infection, 90
 for varicella exposure (See *VariZIG*; VZIG)
 IVIG, 101–102
Implanon, for implantable contraception, 83–84
 Indinavir, for HIV, 75t
 Infliximab, for rheumatoid arthritis, 18t
 Influenza
 antiviral resistance and, 9
 antivirals for, 87–88
 vaccines for, 81–83, 85
 Inhalers, metered-dose, 21t
 Insulin (inhaled), for diabetes, 57–58
 Insulin aspart, for diabetes, 34t
 Insulin detemir, for diabetes, 54–55
 Insulin glargine, for diabetes, 54t
 Insulin glulisine, for diabetes, 33–34
 Insulin lispro, for diabetes, 34t
Invader UGT1A1 Molecular Assay, for irinotecan toxicity, 39–40
Invirase. See Saquinavir
 Irinotecan, genetic test for toxicity, 39–40
 Iron chelators. See Deferasirox
 Itraconazole, for *Candida* infections, 43t
Iveegam EN. See IVIG, preparations
 IVIG
 for *C. difficile* infection, 90
 preparations, 102t
 uses of, 101–102

J
Junel Fe 1/20, for oral contraception, 77t

K
Kaletra. See Lopinavir/ritonavir
Kenalog. See Triamcinolone
Ketek. See Telithromycin
 Ketorolac, elderly patients and, 7t
Kineret. See Anakinra

L
Lanoxin. See Digoxin
 Lanthanum carbonate, for hyperphosphatemia, 15, 16t
Lantus. See Insulin glargine
 Lenalidomide, for myelodysplastic syndromes, 31–32

Lescol. See Fluvastatin
Levalbuterol, for asthma, 21–22
Levemir. See Insulin detemir
Levsin. See Hyoscamine
Lexiva. See Fosamprenavir
Librium. See Chlordiazepoxide
Lifeline AED. See Automated external defibrillators (AEDs)
LifePak. See Automated external defibrillators (AEDs)
Linezolid, for MRSA infections, 13t
Lipitor. See Atorvastatin
Loestrin 24 Fe, *Loestrin Fe 1/20*, for oral contraception, 77t
Lopinavir/ritonavir, for HIV, 75t
Lortab. See Hydrocodone, combination drugs
Lovastatin, and other statins, 1
LPV/RTV. See Lopinavir/ritonavir
Lubiprostone, for constipation, 47–48
Lucentis. See Ranibizumab

M

Macrobid. See Nitrofurantoin
Macugen. See Pegaptanib
Macular degeneration, age-related (AMD), ranibizumab for, 85–86
MAOIs
 for Parkinson's disease, 97
 selegiline (transdermal), 41–42
Marinol. See Dronabinol
MDS. See Myelodysplastic syndromes (MDS)
Meperidine, elderly patients and, 7t
Meprobamate, elderly patients and, 7t
Metadate CD, *Metadate ER*. See Methylphenidate
Metaxalone, elderly patients and, 7t
Metformin
 for diabetes, 9, 10t
 with pioglitazone, 9–11
 with rosiglitazone, 10t
Methicillin-resistant *Staphylococcus aureus* infections. See MRSA infections
Methocarbamol, elderly patients and, 7t
Methotrexate, for rheumatoid arthritis, 18t
Methylin, *Methylin ER*. See Methylphenidate
Methylphenidate
 for ADHD, 50t
 transdermal, 49–51
Methylprednisolone, injections for osteoarthritis, 26t
Metronidazole, for *C. difficile* infection, 89–90
Mevacor. See Lovastatin
Micafungin, for *Candida* infections, 43t
Microgestin Fe 1/20, for oral contraception, 77t
Migraine
 acupuncture for, 38
 coenzyme Q10 for, 19
Minerals. See Dietary supplements
Minocin. See Minocycline
Minocycline
 for acne, 95
 for MRSA infections, 13t
Mirapex. See Pramipexole
Monoamine oxidase inhibitors. See MAOIs
MRSA infections, treatment of, 13–14
MS. See Multiple sclerosis (MS)
Multiple sclerosis (MS)
 IVIG for, 101t
 natalizumab for, 75
Mumps, outbreak recommendations, 45

Mycamine. See Micafungin
Myelodysplastic syndromes (MDS)
 decitabine for, 91–92
 lenalidomide for, 31–32
Myocardial infarction
 AEDs for, 71
 aspirin and prevention of, 53
 clopidogrel for, 29
 fish oil supplements and, 59
 statins and, 1

N

Nabilone, for chemotherapy-induced nausea and vomiting, 103–104
Naltrexone, for alcoholism, 63–64
Narcolepsy, gamma hydroxybutyrate for, 10–11
Natalizumab, for multiple sclerosis, 76
Nausea
 acupuncture for chemotherapy-induced, 38–39
 dronabinol for chemotherapy-induced, 104t
 nabilone for chemotherapy-induced, 103–104
Nelarabine, for T-ALL and T-LBL, 14–15
Nelfinavir, for HIV, 75t
NFV. See Nelfinavir
NicoDerm CQ. See Nicotine
Nicorette. See Nicotine
Nicotine, for tobacco dependence, 67t
Nicotrol Inhaler, *Nicotrol NS*. See Nicotine
Nitazoxanide, for *C. difficile* infection, 90
Nitrofurantoin, elderly patients and, 7t
NNRTI. See Non-nucleoside reverse transcriptase inhibitors (NNRTIs)
Nolvadex. See Tamoxifen
Non-nucleoside reverse transcriptase inhibitors (NNRTIs), for HIV, 78
Novir. See Ritonavir
Novolin N. See NPH
Novolog. See Insulin aspart
Noxafil. See Posaconazole
NPH, for diabetes, 54t
NRTI. See Nucleoside reverse transcriptase inhibitors (NRTIs); Nucleotide reverse transcriptase inhibitors (NRTIs)
Nucleoside reverse transcriptase inhibitors (NRTIs), for HIV, 78
Nucleotide reverse transcriptase inhibitors (NRTIs), for HIV, 78

O

Octagam 5%. See IVIG, preparations
Olux. See Clobetasol
Omacor, as source of PUFAs, 59t
Omega-3 fatty acids. See PUFAs
Orencia. See Abatacept
Orthovisc. See Hyaluronic acid
Os-Cal 500. See Calcium carbonate
Oseltamivir, for influenza, 87
Osteoarthritis
 acupuncture for, 38
 injections for knee, 25–27
Osteoporosis, ibandronate (IV) for, 68–69
Oxycodone
 combination drugs, 3t
 with ibuprofen, 3–4
Oxycontin. See Oxycodone

P

Pain
 acupuncture for, 38
 Combunox for, 3–4
Parkinson's disease
 coenzyme Q10 for, 19
 rasagiline for, 97–99
Parlodel. See Bromocriptine
Pegaptanib, for age-related macular degeneration, 86t
Percocet. See Oxycodone, combination drugs
Percodan. See Oxycodone, combination drugs
Pergolide, for Parkinson's disease, 98t
Permax. See Pergolide
Pertussis, combination vaccines for, 5–6
Phenergan. See Promethazine
PhosLo. See Calcium acetate
Phosphate binders, for hyperphosphatemia, 15–16
Pioglitazone
 for diabetes, 9, 10t
 with metformin, 9–11
Plan B, emergency contraceptive, 75
Plavix. See Clopidogrel
Polyunsaturated fatty acids. See PUFAs
Posaconazole, for invasive fungal infections, 93–95
PowerHeart AED G3. See Automated external defibrillators (AEDs)
Pramipexole, for Parkinson's disease, 98t
Pravachol. See Pravastatin
Pravastatin, high-risk patients and, 1-2
Prezista. See Darunavir
Pro-Banthine. See Propantheline
ProAir. See Albuterol
Probiotics, for *C. difficile* infection, 90
Promethazine, elderly patients and, 7t
Propantheline, elderly patients and, 7t
Propoxyphene, elderly patients and, 7t
Protease inhibitors. See also individual drugs
 for HIV, 75t
Proventil HFA. See Albuterol
Psoriasis
 bethamethasone with calcipotriene, 55–56
 corticosteroids for, 27
PUFAs, and fish oil supplements, 59

R

RA. See Rheumatoid arthritis (RA)
Raloxifene, for breast cancer prevention, 37
Ranexa. See Ranolazine
Ranibizumab, for age-related macular degeneration, 85–86
Ranitidine, elderly patients and, 6
Ranolazine, for angina, 46–47
Rasagiline, for Parkinson's disease, 97–99
Relenza. See Zanamivir
Remicade. See Infliximab
Renagel. See Sevelamer
Reprexain. See Hydrocodone, combination drugs
Requip. See Ropinirole
Revia. See Naltrexone
Revlimid. See Lenalidomide
Reyataz. See Atazanavir
Rheumatoid arthritis (RA)
 abatacept for, 17–18
 rituximab for, 34–35
Rheumatrex Dose Pack. See Methotrexate
Rifaximin, for *C. difficile* infection, 90

Rimantadine
 antiviral resistance, 9
 for influenza, 87
 Risendronate. *See also* Bisphosphonates
 for osteoporosis, 69t
Ritalin, Ritalin LA, Ritalin SR. See Methylphenidate
 Ritonavir, for HIV, 75t
Rituxan. See Rituximab
 Rituximab, for rheumatoid arthritis, 34–35
Robaxin. See Methocarbamol
 Ropinirole, for Parkinson's disease, 98t
 Rosiglitazone
 for diabetes, 9, 10t, 22t
 with glimepiride, 22–24
 with metformin, 9, 10t
Rota-Shield, vaccine for rotovirus, 61
Rotarix, vaccine for rotovirus, 61
RotoTeq, vaccine for rotovirus, 61–63
Roxicet. See Oxycodone, combination drugs
 RTV. *See* Ritonavir

S

Samaritan PAD. See Automated external
 defibrillators (AEDs)
 Saquinavir, for HIV, 75t
Seasonale, for oral contraception, 77t
Seasonique, for oral contraception, 77
 Sedatives, elderly patients and, 7t
 Selegiline
 for Parkinson's disease, 98t
 transdermal for depression, 41–42
 Sevelamer, for hyperphosphatemia, 15, 16t
 Sexually transmitted diseases, vaccine for HPV,
 65–66
 Shingles. *See* Herpes zoster
 Simvastatin, high-risk patients and, 1–3
Sinequan. See Doxepin
Skelaxin. See Metaxalone
 Sodium phosphate preps, for colonoscopy, 41
Solodyn. See Minocycline
Soma. See Carisoprodol
Sporonox. See Itraconazole
 SQV. *See* Saquinavir
Staphylococcus aureus, treatment of resistant
 infections, 13–14
 Statins. *See also individual drugs*
 high-risk patients and, 1–3
Stretta procedure, for GERD, 99–100
 Stroke
 atorvastatin for prevention of, 75–76
 clopidogrel for, 29
 statins and, 1
 Sulfonylureas, combination drugs, 22
Supartz. See Hyaluronic acid
Sustiva. See Efavirenz
Symmetrel. See Amantadine
Synvisc. See Hyaluronic acid

T

T-ALL, nelarabine for, 14–15
 T-cell acute lymphoblastic leukemia. *See* T-ALL
 T-cell lymphoblastic lymphoma. *See* T-LBL
 T-LBL, nelarabine for, 14–15
Taclonex. See Betamethasone, with calcipotriene
Tagamet. See Cimetidine
Tamiflu. See Oseltamivir
 Tamoxifen, for breast cancer prevention, 37
 Tdap. *See* Vaccines
 Tegaserod, for constipation, 48t
 Telithromycin, hepatotoxicity with, 33
Tenovate. See Clobetasol
 Tenofovir DF. *See also* *Atripla*
 for HIV, 79t
Tequin. See Gatifloxacin
 Tetanus, combination vaccines for, 5–6
 Tetracycline
 for acne, 95t
 for MRSA infections, 13t, 14
 Thiazolidinediones. *See also* Pioglitazone;
 Rosiglitazone
 combination drugs, 22
 combined with metformin, 10t
 for diabetes, 9
Tigan. See Trimethobenzamide
 Tigecycline, for MRSA infections, 13t
 Tipranavir, for HIV, 75t
 TMP-SMZ. *See* Trimethoprim/sulfamethoxazole
 TNF inhibitors, for rheumatoid arthritis, 17, 18t
 Tobacco dependence, varenicline for, 66–68
Toradol. See Ketorolac
 TPV. *See* Tipranavir
 Triamcinolone, injections for osteoarthritis, 26t
 Trimethobenzamide, elderly patients and, 7t
 Trimethoprim/sulfamethoxazole, for MRSA
 infections, 13t
Truvada, 79t
Tygacil. See Tigecycline
Tysabri. See Natalizumab

U

Ultravate. See Halobetasol

V

Vaccines
 herpes zoster, 73–74
 HPV, 65–66
 influenza, 81–83, 85
 mumps, 45
 rotovirus, 61
 Tdap combinations, 5–6
 varicella second dose, 80
Valium. See Diazepam
Vancocin. See Vancomycin
 Vancomycin
 for *C. difficile* infection, 89–90
 for MRSA infections, 13t
Vanos. See Fluocinonide

Vaprisol. See Conivaptan
 Varenicline, for tobacco dependence, 66–68
 Varicella
 immunoglobulin for exposure to, 69–70
 second dose of vaccine for, 80
Varivax
 for herpes zoster, 73
 for varicella, 70
VariZIG, for varicella exposure, 69–70
Ventolin HFA. See Albuterol
 Verapamil, elderly patients and, 6
 Verteporfin, photodynamic therapy and, 85
Vfend. See Voriconazole
Vibramycin. See Doxycycline
Vicodin. See Hydrocodone, combination drugs
Vicoprofen. See Hydrocodone, combination drugs
Vidaza. See Azacitidine
Viracept. See Nelfinavir
Viread. See Tenofovir DF
Visicol. See Sodium phosphate preps
Vistaril. See Hydroxyzine
Visudyne. See Verteporfin
 Vitamins. *See* Dietary supplements
Vivitrol. See Naltrexone
 Vomiting
 acupuncture for chemotherapy-induced, 38–39
 dronabinol for chemotherapy-induced, 104t
 nabilone for chemotherapy-induced, 103–104
 Voriconazole, for *Candida* infections, 43t
 VZIG. *See also* *VariZIG*
 for varicella exposure, 69
 VZV. *See* Herpes zoster; Varicella

W

Weight loss, exenatide for, 21
Wellbutrin, Wellbutrin SR, Wellbutrin XL. See
 Bupropion
 Whooping cough. *See* Pertussis

X

Xifaxan. See Rifaximin
Xopenex HFA. See Levalbuterol
Xyrem. See Gamma Hydroxybutyrate (GHB)

Y

Yasmin, for oral contraception, 78t
Yaz, for oral contraception, 77

Z

Zanamivir, for influenza, 87
Zantac. See Ranitidine
Zelapar. See Selegiline
Zelnorm. See Tegaserod
Zocor. See Simvastatin
Zoll AED. See Automated external defibrillators
 (AEDs)
Zyban. See Bupropion
Zyvox. See Linezolid